

Spa Pro Bromine Tablets POPS Group (The POPS Group Pty Ltd as Trustee for The Pool Shops Trust)

Chemwatch: 11-32173 Version No: 5.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier Product name Spa Pro Bromine Tablets Chemical Name Not Applicable Synonyms Not Available Proper shipping name OXIDISING SOLID, CORROSIVE, N.O.S. (contains 1-bromo-3-chloro-5,5-dimethylhydantoin) Other means of identification Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Spa disinfectant.
	Use according to manufacturer's directions.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	POPS Group (The POPS Group Pty Ltd as Trustee for The Pool Shops Trust)
Address	10-12 Cairns Street Loganholme QLD 4129 Australia
Telephone	+61 7 3209 7884
Fax	+61 7 3209 8635
Website	http://www.poolpro.com.au/
Email	office@poolpro.com.au

Emergency telephone number

Association / Organisation IXOM	
Emergency telephone numbers	+61 3 9663 2130 (International) (24 hours)
Other emergency telephone numbers	+61 1800 033 111

SECTION 2 Hazards identification

Classification of the substance or mixture		
Poisons Schedule	S5	
Classification ^[1]	Oxidizing Solids Category 2, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 1B, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 4, Carcinogenicity Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)		
Signal word	Danger	
Hazard statement(s)		
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	

Chemwatch Hazard Alert Code: 3

Issue Date: 24/03/2023 Print Date: 29/03/2023 L.GHS.AUS.EN.E

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.

Precautionary statement(s) Prevention

· · · · · · · · · · · · · · · · · · ·	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume.
P264	Wash all exposed external body areas thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P220	Keep away from clothing and other combustible materials.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/ attention.
P310	Immediately call a POISON CENTER/doctor/physician/first aider.
P370+P378	In case of fire: Use water jets to extinguish.
P302+P352	IF ON SKIN: Wash with plenty of water.
P363	Wash contaminated clothing before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/physician/first aider if you feel unwell.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
16079-88-2	>90	1-bromo-3-chloro-5,5-dimethylhydantoin
Legend:	Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures		
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor. 	

Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Excellent warning properties force rapid escape of personnel from chlorine vapour thus most inhalations are mild to moderate. If escape is not possible, exposure to high

concentrations for a very short time can result in dyspnea, haemophysis and cyanosis with later complications being tracheobroncho-pneumonitis and pulmonary oedema. Oxygen, intermittent positive pressure breathing apparatus and aerosolysed bronchodilators are of therapeutic value where chlorine inhalation has been light to moderate. Severe inhalation should result in hospitalisation and treatment for a respiratory emergency.

Any chlorine inhalation in an individual with compromised pulmonary function (COPD) should be regarded as a severe inhalation and a respiratory emergency. [CCINFO, Dow 1988] Effects from exposure to chlorine gas include pulmonary oedema which may be delayed. Observation in hospital for 48 hours is recommended

Diagnosed asthmatics and those people suffering from certain types of chronic bronchitis should receive medical approval before being employed in occupations involving chlorine exposure.

If burn is present, treat as any thermal burn, after decontamination.

- For acute or short term repeated exposures to strong acids:
- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.

Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:

Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.

- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.

Deep second-degree burns may benefit from topical silver sulfadiazine. EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

Depending on the degree of exposure, periodic medical examination is indicated. The symptoms of lung oedema often do not manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation is therefore essential. Immediate administration of an appropriate spray, by a doctor or a person authorised by him/her should be considered.

(ICSC24419/24421

SECTION 5 Firefighting measures

Extinguishing media

- FOR SMALL FIRE:
- ▶ USE FLOODING QUANTITIES OF WATER.
- **DO NOT** use dry chemical, CO2, foam or halogenated-type extinguishers.
- FOR LARGE FIRE
- Flood fire area with water from a protected position

Special hazards arising from the substrate or mixture

Fire Incompatibility	 Avoid storage with reducing agents. Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous 	
Advice for firefighters		

Autroo for monghero	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water courses. Fight fire from a safe distance, with adequate cover. Extinguishers should be used only by trained personnel. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.

	 If safe to do so, remove containers from path of fire. If fire gets out of control withdraw personnel and warn against entry. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit acrid smoke and corrosive fumes. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) hydrogen chloride phosgene nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.
HAZCHEM	1W

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately. No smoking, naked lights, ignition sources. Avoid all contact with any organic matter including fuel, solvents, sawdust, paper or cloth and other incompatible materials, as ignition may result. Avoid breathing dust or vapours and all contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Control personal contact shift her substance, by using protective equipment. Do NOT use sawdust as fire may result. Scoop up solid residues and seal in labelled drums for disposal. Neutralise/decontaminate area.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water courses. No smoking, flames or ignition sources. Increase ventilation. Contain spill with sand, earth or other clean, inert materials. NEVER USE organic absorbents such as sawdust, paper or cloth. Use spark-free and explosion-proof equipment. Collect any recoverable product into labelled containers for possible recycling. Avoid contamination with organic matter to prevent subsequent fire and explosion. DO NOT mix fresh with recovered material. Collect residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. Decontaminate equipment and launder all protective clothing before storage and re-use. If contamination of drains or waterways occurs advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 For oxidisers, including peroxides. Avoid personal contact and inhalation of dust, mist or vapours. Provide adequate ventilation. Always wear protective equipment and wash off any spillage from clothing. Keep material away from light, heat, flammables or combustibles. Keep cool, dry and away from incompatible materials. Avoid physical damage to containers. DO NOT repack or return unused portions to original containers. Withdraw only sufficient amounts for immediate use. Use only minimum quantity required. Avoid using solutions of peroxides in volatile solvents. Solvent evaporation should be controlled to avoid dangerous concentration of the peroxide. Do NOT allow oxidisers to contact rion or compounds of iron, cobalt, or copper, metal oxide salts, acids or bases. Do NOT use glass containers with screw cap lids or glass stoppers. Store peroxides at the lowest possible temperature, consistent with their solubility and freezing point. CAUTION: Do NOT store liquids or solutions of peroxides at a temperature below that at which the oxidiser freezes or precipitates. Peroxides, in particular, in this form are extremely shock and heat-sensitive. Refrigerated storage of peroxides must ONLY be in explosion-proof units. The hazards and consequences of fires and explosions during synthesis and use of oxidisers is widely recognised; spontaneous or induced decomposition may culminate in a variety of ways, ranging from moderate gassing to spontaneous ignition or explosion. The heat released from spontaneous decomposition of an energy-rich compound causes a rise in the surrounding temperature; the temperature will rise until thermal
	Continued

SECTION 8 Exposure controls / personal protection

Avoid strong bases.

Continued...

Spa Pro Bromine Tablets

	 balance is established or until the material heats to decomposition, The most effective means for minimising the consequences of an accident is to limit quantities to a practical minimum. Even gram-scale explosions can be serious. Once ignited the burning of peroxides cannot be controlled and the area should be executed. Unless there is compelling reason to do otherwise, peroxide concentration should be limited to 10% (or less with vigorous reactants). Peroxide concentration is rarely as high as 1% in the reaction mixture of polymerisation or other free-radical reactions. Ordisiers should be added slowly and cautiously to the reaction medium. This should be completed prior to heating and with good agitation. Addition oxidisers to the hot monomer is extremely dangerous. A violent reaction (e.g., fire or explosion) can result from inadvertent mixing of promoters (frequently used with peroxides in polymerisation systems) with full-strength oxidisers Organic peroxides are very sensitive to contamination (especially heavy-metal compounds, metal oxide salts, alkaline materials including amines, strong acids, and many varieties of dust and dirl). This can initiate rapid, uncontrolled decomposition of peroxides and possible generation of intense heat, fire or explosion The consequences of accidental contamination from returning withdrawn material to the storage container can be disastrous. When handling NEVER smoke, eat or drink. Always wash hands with soap and water after handling. Use only good occupational work practice. Observe manufacturers storage and handling recommendations contained within this MSDS. Organic powders when finely divided over a range of concentrations regardless of particulars. Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame. Establish good housekeeping practices. Remove dust accumulations on a regular basis
Other information	 Autorisation or permit. Store in original containers. Keep containers securely sealed as supplied. Store in a cool, well ventilated area. Keep dry. Store under cover and away from sunlight. Store away from flammable or combustible materials, debris and waste. Contact may cause fire or violent reaction. Store away from incompatible materials and foodstuff containers. Do NOT stack on wooden floors or pallets. Protect containers from physical damage. Check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. In addition, Goods of Class 5.1, packing group II should be: stored in piles so that the height of the pile does not exceed 1 metre the maximum height of a pile does not exceed 3 metres where the room is provided with automatic fire extinguishers or 2 meters if not.
	 the minimum distance between piles is not less than 2 metres where the room is provided with automatic fire extinguishers or 3 meters if not. the minimum distance to walls is not less than 1 metre.
Conditions for safe storage, in	1kg, 2kg,4kg,10kg,20kg, 25kg
Suitable container	 b D NOT repack. Use containers supplied by manufacturer only. For low viscosity materials b Drums and jerricans must be of the non-removable head type. b Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids: Removable head packaging and c cans with friction closures may be used. Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages *. In addition, where inner packagings are glass and contain liquids of packing group I and II there must be sufficient inert absorbent to absorb any
	spillage *.
	* unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.
Storage incompatibility	 Contact with acids produces toxic fumes Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air. Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous Segregate from alcohol, water. Avoid strong bases.

Avoid strong bases.
Inorganic reducing agents react with oxidizing agents to generate heat and products that may be flammable, combustible, or otherwise reactive. Their reactions with oxidizing agents may be violent.
Avoid storage with reducing agents.

Occupational Exposure Limits	(OEL)				
INGREDIENT DATA ot Available					
Emergency Limits					
Ingredient	TEEL-1 TE	EL-2		TEEL-3	
1-bromo-3-chloro- 5,5-dimethylhydantoin	4.2 mg/m3 46 mg/m3 280 mg/m3		280 mg/m3		
Ingredient	Original IDLH		Revised IDLH		
1-bromo-3-chloro- 5,5-dimethylhydantoin	Not Available				
Occupational Exposure Bandin	g				
Ingredient	Occupational Exposure Band Rating		Occupational Expo	sure Band Limit	
1-bromo-3-chloro- 5,5-dimethylhydantoin	D		> 0.01 to ≤ 0.1 mg/m	3	
Notes:	Occupational exposure banding is a process of assig adverse health outcomes associated with exposure. range of exposure concentrations that are expected	The output of this p	rocess is an occupational		
MATERIAL DATA					
xposure controls					
	The basic types of engineering controls are: Process controls which involve changing the way a jo Enclosure and/or isolation of emission source which	bb activity or proces keeps a selected ha	t of worker interactions to s is done to reduce the ri azard "physically" away fr	sk. rom the worker and ve	el of protection. entilation that strategicall
	The basic types of engineering controls are: Process controls which involve changing the way a jo	bb activity or process keeps a selected ha entilation can remov and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills	t of worker interactions to s is done to reduce the ri uzard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin artridge; ; ed by bonding and groun s may require additional p	provide this high lev sk. om the worker and ve inant if designed prop when particulates are tes in the workplace. ratory protection should ding. protection measures set	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin
Appropriate applicación	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. We ventilation system must match the particular process Employers may need to use multiple types of control. Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevert. If in spite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined of (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particit. 	bb activity or process keeps a selected ha entilation can remove and chemical or co- s to prevent employ s are handled as po- nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" v	t of worker interactions to s is done to reduce the ri uzard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin artridge; ; ed by bonding and groun s may require additional p	provide this high lev sk. om the worker and ve inant if designed prop when particulates are tes in the workplace. ratory protection should ding. protection measures set	el of protection. entilation that strategicall oerly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin
Appropriate engineering controls	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. Veventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prever If in spite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined 1 (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust partic Powder handling equipment such as dust collect Air contaminants generated in the workplace posses circulating air required to efficiently remove the contat Type of Contaminant: 	bb activity or process keeps a selected ha entilation can remov and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin rartridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c	provide this high lev sk. om the worker and winner inant if designed prop when particulates are tes in the workplace. ratory protection show ding. protection measures a determine the "capture"	el of protection. entilation that strategicall berly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed:
	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. We ventilation system must match the particular process Employers may need to use multiple types of control. Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevert. If in spite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined to (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust partic. Air contaminants generated in the workplace posses circulating air required to efficiently remove the contaminants. 	bb activity or process keeps a selected ha entilation can remov and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin rartridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c	provide this high lev sk. om the worker and winner inant if designed prop when particulates are tes in the workplace. ratory protection show ding. protection measures a determine the "capture"	el of protection. entilation that strategical berly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh
	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. Veventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent of the spirators with absorption cartridge or canif. (a): particle dust respirators, if necessary, combined to (b): filter respirators with absorption cartridge or canif. Fowder handling equipment such as dust collect Air contaminants generated in the workplace posses: circulating air required to efficiently remove the contaminant: Type of Contaminant: 	bb activity or process keeps a selected ha entilation can remov and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin rartridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500
	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. Veventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prever If in spite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined 1 (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust partic Powder handling equipment such as dust collect Air contaminants generated in the workplace posses circulating air required to efficiently remove the conta Type of Contaminant: direct spray, spray painting in shallow booths, drum generation into zone of rapid air motion) grinding, abrasive blasting, tumbling, high speed w 	bb activity or process keeps a selected ha entilation can remove and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin rartridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500 ft/min) 2.5-10 m/s (500-2000
	 The basic types of engineering controls are: Process controls which involve changing the way a jot Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. Voventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to preven If in spite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined to be full the powder of the solid series of the solid series	bb activity or process keeps a selected ha entilation can remove and chemical or co s to prevent employ s are handled as po nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mill s varying "escape" v minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin rartridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500 ft/min) 2.5-10 m/s (500-2000
	 The basic types of engineering controls are: Process controls which involve changing the way a jorner controls and/or isolation of emission source which "adds" and "removes" air in the work environment. Verentilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent of the spirator of the spirators of the spirators. (a): particle dust respirators, if necessary, combined to (b): filter respirators with absorption cartridge or canist (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle Air contaminants generated in the workplace possess circulating air required to efficiently remove the contatting air required to efficiently remove the contatting air required to efficiently remove the contatting air required to a fraid air motion) grinding, abrasive blasting, tumbling, high speed w of very high rapid air motion). 	bb activity or process keeps a selected ha entilation can remove and chemical or co- s to prevent employ s are handled as po- nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri uzard "physically" away fr eo r dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respin artridge; ; ed by bonding and groun s may require additional p relocities which, in turn, c ading, crusher dusts, gas ts (released at high initial	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500 ft/min) 2.5-10 m/s (500-2000
	 The basic types of engineering controls are: Process controls which involve changing the way a jort closure and/or isolation of emission source which "adds" and "removes" air in the work environment. Viventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent of the spirator of the spirators of the designed to prevent of local exhaust an adverse concentrate protection might consist of: (a): particle dust respirators, if necessary, combined of (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle Air contaminants generated in the workplace possess circulating air required to efficiently remove the contatting air required to efficiently remove the contatting air required to efficiently remove the contatting air required to a final air motion) grinding, abrasive blasting, tumbling, high speed w of very high rapid air motion). Within each range the appropriate value depends on Lower end of the range 	bb activity or process keeps a selected ha entilation can remove and chemical or co- s to prevent employ s are handled as po- nt accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills s varying "escape" of minant.	t of worker interactions to s is done to reduce the ri uzard "physically" away fr e or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respinent artridge; ; ed by bonding and groun s may require additional prelocities which, in turn, of ading, crusher dusts, gas ts (released at high initial d of the range	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500 ft/min) 2.5-10 m/s (500-2000
	 The basic types of engineering controls are: Process controls which involve changing the way a job Enclosure and/or isolation of emission source which "adds" and "removes" air in the work environment. Viventilation system must match the particular process Employers may need to use multiple types of control Local exhaust ventilation is required where solids proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent of the inspite of local exhaust an adverse concentrat protection might consist of: (a): particle dust respirators, if necessary, combined in (b): filter respirators with absorption cartridge or canis (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle Air contaminants generated in the workplace posses circulating air required to efficiently remove the contation to zone of rapid air motion) grinding, abrasive blasting, tumbling, high speed w of very high rapid air motion). Within each range the appropriate value depends on Lower end of the range 1: Room air currents minimal or favourable to caption of the caption o	bb activity or process keeps a selected ha entilation can remove and chemical or co is to prevent employ is are handled as point accumulation and ion of the substance with an absorption of ster of the right type cle, may be prevent ors, dryers and mills is varying "escape" in minant.	t of worker interactions to s is done to reduce the ri izard "physically" away fr re or dilute an air contami ntaminant in use. ee overexposure. wders or crystals; even w I recirculation of particula e in air could occur, respiner artridge; ; ed by bonding and groun s may require additional p relocities which, in turn, or ading, crusher dusts, gas ts (released at high initial d of the range ing room air currents	 provide this high lev sk. om the worker and winner if designed proposed in the worker and winner if designed proposed in the workplace. ratory protection show ding. ding. orotection measures a determine the "capture is discharge (active is discharge). 	el of protection. entilation that strategicall perly. The design of a relatively large, a certain uld be considered. Such such as explosion ventin e velocities" of fresh Air Speed: 1-2.5 m/s (200-500 ft/min) 2.5-10 m/s (500-2000

Individual protection measures, such as personal protective equipment

Eye and face protection



more when extraction systems are installed or used.

Chemical goggles.

Full face shield may be required for supplementary but never for primary protection of eyes.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 4-10 m/s (800-2000 ft/min) for extraction of crusher dusts generated 2 metres distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or

Skin protection	See Hand protection below	
Hands/feet protection	 Wear safety footwear or safety gumboots, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NDTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contrad. Contaminated learther items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer, Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygine is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dired thoroughly. Application of a non-perfumed moisturiser is recommended. Subtability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: - requency and duration of contact. - device thickness and - dive thickness and - Some glove polyme persected. g glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, ASNZS 2161.10.1 or national equivalent). - When only breacted. - Some glove polyme persected. - Some glove polyme types are less affected by movement and this should be taken into account when considering gloves for long-term use. - Contaminated gloves should be replaced. - Some glove polyme types are less af	
Body protection	See Other protection below	
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit. Ensure there is ready access to a safety shower. Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce severe. 	

Respiratory protection

Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	AB-AUS / Class1 P2	-
up to 50	1000	-	AB-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	AB-2 P2
up to 100	10000	-	AB-3 P2
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

76ab-p()

Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered,

positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

 \cdot Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White to off white tablet with faint halogen odour; miscible with water.			
Physical state	Divided Solid	Relative density (Water = 1)	0.9	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available	
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available	
Melting point / freezing point (°C)	160	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Available	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Available	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable	
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable under normal handling conditions. Prolonged exposure to heat. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

er disability
be
Inhalation
pour can
on of the
confirmed
of the
5,
nay include
er a latent
nation may
ary

Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.	
Skin Contact	The material can produce chemical burns following direct contact with the skin. Open cuts, abraded or irritated skin should not be exposed to this material Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Solution of material in moisture on the skin, or perspiration, may markedly increase skin corrosion and accelerate tissue destruction Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.	
Eye		ng direct contact. Vapours or mists may be extremely irritating. ss severe ocular lesions which are present twenty-four hours or more after instillation.
Chronic	Individuals, and/or of producing a positive response in experimental animals. Whistances that can cause occupational astima (a) los horwor as astimating ers and respiratory sensitisers) can induce a state of specific always hyper-responsiveness via an immunological, intrant or other mechanism. Once the airways have become hyper-responsive, further exposure to astima. Not all workers who are exposed to a sensitieer will become hyper-responsive and it is impossible to identify in advances who are likely decome hyper-responsive. Where we it is reasonably practicable, exposure to substances are not classified as astimagenes or respiratory sensitiesm. Where we it is reasonably practicable, exposure to substances that can cause occupational astima should be prevented. Where we it is assonably practicable, exposure to substances that can cause occupational astima and the sensitivation of the substances with any experimental constitution of the substances were not classified as astimagenes or respiratory sensitiesm. Where were it is assonably practicable, exposure to substances that can cause occupational astima and these should be appropriate consultations with an occupational health molecasional over the degree of tisk and level of surveillance. Where were disc hard the substance with a cocupational health molecasional over the degree of tisk and level of surveillance. Under obscenee of toxic effects. Provides that human exposure to the material may result in developmental toxicity. This evidence is based on animal studies are accountry non-specific consequences of the other toxic effects. Provides to prolonged exposure to acids may result in the ersistion of teeth, inflammatory and ulcerative changes in the mouth and necrosis are organized or prolonged exposure to acids may result in the ersistion of teeth, inflammatory and ulcerative changes in the mouth and necrosis are organized as the response to the obser of effects. Prove the absence of toxic effects, or evidence of impaired fortily toxic effe	
Spa Pro Bromine Tablets		
Spa Pro Bromine Tablets	TOXICITY Not Available	IRRITATION Not Available
Spa Pro Bromine Tablets		
Spa Pro Bromine Tablets 1-bromo-3-chloro- 5,5-dimethylhydantoin	Not Available	Not Available

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Carcinogenicity: Cancer studies in rats and mice indicated no systemic effects other than decreased body weight and body weight gain females (rats) and males (mice) and increased hyperplasia of submandibular lymph nodes in males (rats). No evidence of carcinogenicit test material was reported. 5,5-dimethylhydantoin is classified as 'not likely to be a carcinogen based upon the negative evidence for carcinogenicity in both the rat and mouse studies as well as the negative evidence of mutagenicity. Mutagenicity: The data on mutagenicity of dimethylhydantoin shows, in large part, negative responses in the studies conducted. Literal reports indicate a positive effect for 2 in vitro mammalian cytogenetic assays in Chinese Hamster Ovary cells Acute Toxicity Carcinogenicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Stort - Single Exposure Stort - Repeated Exposure 			
1-BROMO-3-CHLORO- 5,5-DIMETHYLHYDANTOIN	airflow pattern on lung function tests, moderate to sevelymphocytic inflammation, without eosinophilia. RADS the concentration of and duration of exposure to the in result of exposure due to high concentrations of irritat disorder is characterized by difficulty breathing, cough for halohydantoins Acute toxicity: The halohydantoins were shown to be route is more significant. The halohydantoins are sign halohydantoin com pounds. Non-acute toxicity testing of halohydantoins and their sub chronic, developmental, reproductive, and chronic of the test chemical. The primary reason for developing these ring structures represent the persistent component that the corrosive properties of the released halogens thereby precluding a meaningful evaluation of the halo Developmental and reproductive toxicity data demicexception of one study, where foetal and litter effects level than that which resulted in maternal toxicity study concretes observed. Available metabolism data indicate that DMH and EM are formaldehyde releasers. The DMH portion of the released formal endities of the remained by the released by the released by the released by the increase of 27th presacral vertebrae is a common effect. In a prenatal developmental toxicity study concretes observed.	as a group and may not be specific to tact eczema, more rarely as urticaria of nume reaction of the delayed type. Oft inificance of the contact allergen is no contact with it are equally important e with stronger sensitising potential wite ay produce an allergic test reaction in rature search. Ven years after exposure to the materi DS) which can occur after exposure to previous airways disease in a non-atop ocumented exposure to the irritant. Oft ere bronchial hyperreactivity on meth 6 (or asthma) following an irritating inh ritating substance. On the other hand ing substance (often particles) and is n and mucus production. e of low toxicity by the oral and dermal ificant eye and skin irritants . Dermal is breakdown products dimethylhydant c toxicity testing) all show the presence and generic data on DMH and EMH rati ent of the halohydantoins. A seconda would limit the amount of chemical the ohydantoin moieties ionstrate no increase in susceptibility (increased incidence of 27th presacra reased body weight and food consum in variation found in rabbit developmer ducted in rabbits with 5-ethyl-5-methyl H are excreted unchanged in the rat. molecule is assumed to behave the se de portion of the hydroxymethylhydant	this product. or Quincke's oedema. The pathogenesis of contact her allergic skin reactions, e.g. contact urticaria, t simply determined by its sensitisation potential: the A weakly sensitising substance which is widely th which few individuals come into contact. From a more than 1% of the persons tested. al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to i, industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The If routes of exposure. Acute toxicity by the inhalation sensitization has also been observed for some of the pin and ethylmethylhydantoin (DMH/EMH) (including the of non-specific toxicity only at relatively high doses her than th e entire halohydantoin molecule is that ry reason for evaluating the halohydantoin moieties is hat could be administered to laboratory animals; to the toxic effects of 5,5-dimethylhydantoin with the di vertebrae) in rabbits were observed at a lower dose uption during the dosing period) following treatment. thal toxicity studies and was not considered an adverse hydantoin, there was no increased susceptibility of the However, it is known that hydroxymethylhydantoins ame as the hydantoins from the halohydantoin toin molecule must be addressed further.

Legend:

Aspiration Hazard

X – Data either not available or does not fill the criteria for classification - Data available to make classification

×

SECTION 12 Ecological information

Mutagenicity

×

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Spa Pro Bromine Tablets	Not Available	Not Available	Not Available	Not Available Not Available	
1-bromo-3-chloro- 5,5-dimethylhydantoin	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.26-0.4mg/L	4
	EC50	48h	Crustacea	0.84-1.04mg/L	4
	EC50(ECx)	96h	Crustacea	0.2mg/L	4
Legend:	Extracted from	1. IUCLID Toxicity Data 2. Europe I	ECHA Registered Substances - Ecotoxicological	I Information - Aquatic Toxicity 4.	US EPA,

- Bioconcentration Data 8. Vendor Data

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

For chlorine:

Environmental fate:

Atmospheric chlorine produced as a result of such process as disinfection forms hydrochloric (HCI) or hypochlorous (HOCI) acid in the atmosphere, either through reactions with hydroxy radicals or other trace species such as hydrocarbons. These acids are believed to removed from the atmosphere primarily through precipitation washout (i.e. wet deposition as chlorine is scrubbed out by rain in the subcloud layer) or dry deposition as gaseous chlorine contacts and reacts with the earths surface

Water chlorination, resulting from municipal and industrial wastewater treatment and cooling water disinfection, initially introduces chlorine into the water as chlorine gas, hypochlorite ion (OCI-), or its salt. These forms of chlorine are termed free residual chlorines (FRC). Chlorine in aqueous systems volatilises or quickly decays to residual forms such as

Very toxic to aquatic organisms.

hypochlorous acid, chloramine and chlorinated organics. Aquatic chemistry is determined by aquatic factors including pH, ammonium ion (which combines with chlorine to produce chloramine) and certain other reducing agents. Inorganic reducing agents in estuarine waters include sulfur, iron and manganese. Other organic compounds in water also contribute to chlorine decay rate. The reactions of chlorine or hypochlorites in water produce a number of by-products many of which have been implicated as genotoxic or tumourigenic. Chlorine, added to drinking water as chlorine gas (Cl2) or hypochlorite salts (e.g., NaOCI), effectively inactivates bacteria in 20 minutes at concentrations of 0.03 to 0.06 mg/l at pH range of 7.0 to 8.5 and temperature range of 4 deg.C to 22 deg.C.

Chlorine disinfectants in wastewater react with organic matters, giving rise to organic chlorine compounds such as AOX (halogenated organic compounds absorbable on activated carbon), which are toxic for aquatic organisms and are persistent environmental contaminants.

Chlorine hydrolyses very rapidly in water (rate constants range from 1.5 x 10-4 at deg. C to 4.0 x 10-4 at 25 deg.C; half-life in natural waters, 0.005 seconds. In fresh and wastewaters at pH >6, complete hydrolysis occurs with the formation of hypochlorous acid (HOCI) and chloride ion (CI-). The hypochlorous acid ionizes to hydrogen ion (H+) and hypochlorite ion (OCI-). At pH values >5, OCI- predominates; at pH values <5, HOCI predominates. Free chlorine (CI2, HOCI, and OCI-) reacts rapidly with inorganics such as bromide and more slowly with organic material present in natural waters. These reactions yield chloride, oxidised organics, chloroorganics (including trihalomethanes), oxygen, nitrogen, chlorate, bromate and bromoorganics.

Chlorines ultimate aqueous fate is chloride.

Vapourisation of molecular chlorine (Cl2) from water to the atmosphere may be significant at low pH values and high concentrations (e.g., pH 2 and 3500 mg/l chlorine), but is insignificant at neutral pH and low concentrations.

Vegetation acts as an important sink for chlorine air pollution. Plant exposure to elevated levels of chlorine can cause plant injury; however chlorine tends to be rapidly converted to other less toxic forms.

Atmospheric: When chlorine, hypochlorous acid or hydrogen chloride mixes in the atmosphere with water vapour, dilute solutions of strong mineral acids are formed that fall to earth as acid rain, snow, and fog, or acidified dry particles.

Chlorine may react with soil components to form chlorides; depending on their water solubility, these chlorides are easily washed out from the soil.

Bioaccumulation/ bioconcentration: There is no potential for the bioaccumulation or bioconcentration of chlorine.

Ecotoxicity:

Fish LC50 (96 h): 0.015-13.5 mg/l

Chlorine has high acute toxicity to aquatic organisms; many toxicity values are less than or equal to 1 mg/l. Twenty-four-hour LC50 values range from 0.076 to 0.16 mg/l for Daphnia magna (water flea) and from 0.005 to 0.1 m/l for Daphnia pulex (cladocern); 48-hour LC50 values range from 5.3 to 12.8 m/l for Nitocra spinipes (snail); and 96-hour LC50 values range from 0.13 to 0.29 mg/L for Oncorhynchus mykiss (rainbow trout), from 0.1 to 0.18 mg/l for Salvelinus fontinalis (brook trout), and from 0.71-0.82 mg/l for Lepomis cyanellus (green sunfish)

Papillomas of the oral cavity in fish have been associated with exposure to chlorinated water supplies.

Chlorine is phytotoxic but is also essential to plant growth; crops need around 2 kg or more of chlorine per acre. Acute toxicity to plants is characterized by defoliation with no leaf symptoms and, in higher plant forms, by spotting of the leaves (at 1.5 mg/m3) and marginal and interveinal injury (at 150-300 mg/m3)

Data from experimental studies indicate that injury to animals occurs only in the presence of high concentrations of chlorine, either in drinking water or the ambient atmosphere. http://www.epa.gov/chemfact/s_chlori.txt

U.S. ENVIRONMENTAL PROTECTION AGENCY August 1994

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
1-bromo-3-chloro- 5,5-dimethylhydantoin	HIGH	HIGH

Bioaccumulative potential

Bioaccumulation
LOW (LogKOW = -0.9441)

Mobility in soil

Ingredient	Mobility
1-bromo-3-chloro- 5,5-dimethylhydantoin	LOW (KOC = 23.14)

SECTION 13 Disposal considerations

 Product / Packaging disposal Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatm	Waste treatment methods	
	Product / Packaging disposal	 Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal an endertified. Treat and neutralise at an approved treatment plant. Treatment should involve: Mixing or slurrying in water; Neutralisation with soda-lime or soda-ash followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceu

containers are cleaned and destroyed.
For small quantities of oxidising agent:
Cautiously acidify a 3% solution to pH 2 with sulfuric acid.
Gradually add a 50% excess of sodium bisulfite solution with stirring.
Add a further 10% sodium bisulfite.
If no further reaction occurs (as indicated by a rise in temperature) cautiously add more acid.

SECTION 14 Transport information

Labels Required

Marine Pollutant	
HAZCHEM	1W

Land transport (ADG)

UN number or ID number	3085	
UN proper shipping name	OXIDISING SOLID, CORROSIVE, N.O.S. (contains 1-bromo-3-chloro-5,5-dimethylhydantoin)	
Transport hazard class(es)	Class5.1Subsidiary risk8	
Packing group	II	
Environmental hazard	Environmentally hazardous	
Special precautions for user	Special provisions 274 Limited quantity 1 kg	

Air transport (ICAO-IATA / DGR)

UN number	3085	3085		
UN proper shipping name	Oxidizing solid, corrosive	Oxidizing solid, corrosive, n.o.s. * (contains 1-bromo-3-chloro-5,5-dimethylhydantoin)		
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	5.1 8 5C		
Packing group	П	II.		
Environmental hazard	Environmentally hazardous			
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions Passenger and Cargo Limited Maximum Qty / Pack		A3 A803 562 25 kg 558 5 kg Y544 2 5 kg	
	Passenger and Cargo	Limited Maximum Qty / Pack	2.5 kg	

Sea transport (IMDG-Code / GGVSee)

UN number	3085		
UN proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S. (contains 1-bromo-3-chloro-5,5-dimethylhydantoin)		
Transport hazard class(es)	IMDG Class5.1IMDG Subrisk8		
Packing group	ll		
Environmental hazard	Marine Pollutant		
Special precautions for user	EMS NumberF-A, S-QSpecial provisions274Limited Quantities1 kg		

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
1-bromo-3-chloro- 5,5-dimethylhydantoin	Not Available

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
1-bromo-3-chloro- 5,5-dimethylhydantoin	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

1-bromo-3-chloro-5,5-dimethylhydantoin is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (1-bromo-3-chloro-5,5-dimethylhydantoin)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	24/03/2023
Initial Date	01/06/2018

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
4.1	23/12/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

end of SDS

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.