

According to Safe Work Australia

Printing date 19.06.2013

Revision: 19.06.2013

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: POOL PRO HYDROCHLORIC ACID 33%

Other Name: Hydrochloric acid solution, muriatic acid, spirits of salts, hydrogen chloride solution

Recommended Use of the Chemical and Restriction on Use: General chemical

Details of Manufacturer or Importer:

The POPS Group Pty Ltd as Trustee for The Pool Shops Trust 10-12 Cairns Street Loganholme QLD 4129

Phone Number: 07 3209 7884 1800 143 788

Emergency telephone number: 1800 033 111 +61 3 9663 2130 International

2. HAZARDS IDENTIFICATION

Hazardous Nature:



GHS06 skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Label Elements

Signal Word Danger

Hazard Statements

H330 Fatal if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary Statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P284	Wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P320	Specific treatment is urgent (see on this label).
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P405	Store locked up.
	(Contd. on page 2)

Page 1/6



According to Safe Work Australia

Printing date 19.06.2013

Revision: 19.06.2013

Product Name: POOL PRO HYDROCHLORIC ACID 33%

(Contd. of page 1)

P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

 7647-01-0
 hydrogen chloride
 33%

 Acute Tox. 2, H330;
 Skin Corr. 1A, H314; Eye Dam. 1; Press. Gas, H280
 33%

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact:

Remove contaminated clothing and wash affected areas with soap and water. Seek medical attention if symptoms persist. Launder clothing before reuse.

Eye Contact:

In case of eye contact, check for and remove any contact lenses. Immediately irrigate eyes with plenty of running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, foam, carbon dioxide or dry chemical powder.

Specific Hazards Arising from the Chemical

The product is non-combustible. However, the packaging material may burn to emit noxious fumes. Reacts violently with alkalis. Reacts exothermically on dilution with water. Reacts with chlorine products and oxidising agents liberating toxic chlorine gas. Corrosive to many metals with the liberation of extremely flammable hydrogen gas.

Special Protective Equipment and Precautions for Fire Fighters

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Ensure adequate ventilation. Do not breathe vapours.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)



According to Safe Work Australia

Revision: 19.06.2013

Printing date 19.06.2013

Product Name: POOL PRO HYDROCHLORIC ACID 33%

(Contd. of page 2)

Page 3/6

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Spills are slippery. Avoid accidents. Clean up immediately

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry, well ventilated area and out of direct sunlight. Keep containers tightly closed when not in use. Do not mix with other chemicals. Addition to water releases heat which can result in violent boiling and splattering. Always add slowly and in small amounts. Never add water to acids – always add acids to water. Check regularly for leaks. Transport and store upright.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards (Safe Work Australia):

7647-01-0 hydrogen chloride

NES 7.5* mg/m³, 5* ppm *Peak limitation

Engineering Contols:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Personal Protective Equipment (PPE):

Respiratory Protection:

Use a Safe Work Australia approved full face supplied air respirator if high airborne concentrations of the material are present. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves and protective clothing. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian Standards AS/NZS 1336 and 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	Like hydrogen chloride gas
Odour Threshold:	No information available
pH-Value:	<1
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	91-98 °C
Flash Point:	No information available
Flammability:	No information available



According to Safe Work Australia

Printing date 19.06.2013

Product Name: POOL PRO HYDROCHLORIC ACID 33%

Revision: 19.06.2013

(Contd. of page 3)

Page 4/6

Auto-ignition Temperature: Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	11-115 mm Hg
Relative Density:	1.14 - 1.18
Vapour Density:	1.26
Solubility in Water:	Completely soluble

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: No information available

Chemical Stability:

Stable at ambient temperature and under normal conditions of use. The shelf life is 2 years.

Conditions to Avoid:

Do not combine part drums of the same product, as this may be a source of contamination.

Incompatible Materials:

Chlorine containing products, alkalis, organic materials, aluminium, tin or zinc coated metals.

Hazardous Decomposition Products: No information available

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

7647-01-0 hydrogen chloride

Oral LD₅₀ 900 mg/kg (rabbit)

Acute Health Effects

Inhalation: Fatal if inhaled.

Skin: Strong caustic effect on skin and mucous membranes.

Eye:

Highly corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury.

Ingestion:

Swallowing can cause nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: No sensitising effects known.

Germ Cell Mutagenicity: No information available

Carcinogenicity:

Hydrochloric acid is classified by IARC as a Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: No information available

Specific Target Organ Toxicity (STOT) - Single Exposure: No information available

Specific Target Organ Toxicity (STOT) - Repeated Exposure: No information available

Aspiration Hazard: No information available



According to Safe Work Australia

Revision: 19.06.2013

Printing date 19.06.2013

Product Name: POOL PRO HYDROCHLORIC ACID 33%

(Contd. of page 4)

Page 5/6

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity:

1

Aquatic toxicity:

The product is highly acidic. If large spills occurred a water pH drop could be responsible for an environmental effect on aquatic organisms.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

	UN Number	1789		
	Proper Shipping Name	HYDROCHLORIC ACID		
	Dangerous Goods Class	8		
	Packing Group:	П		
	Marine pollutant:	No		
	Hazchem Code:	2R		
	Special Provisions:	Not applicable		
	Limited Quantities:	1L		
	Packagings & IBCs - Packing Instruction:	P001, IBC02		
	Packagings & IBCs - Special Packing Provisions: Not applicable			
	Portable Tanks & Bulk Contatiners - Instructions: T8			
	Portable Tanks & Bulk Containers - Special Provisions:	TP2		
15. REGULATORY INFORMATION				

Australian Inventory of Chemical Substances:		
7647-01-0	hydrogen chloride	
7732-18-5	Water	

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

(Contd. on page 6)



According to Safe Work Australia

Revision: 19.06.2013

(Contd. of page 5)

Printing date 19.06.2013

Product Name: POOL PRO HYDROCHLORIC ACID 33%

16.OTHER INFORMATION

Creation Date: 19.06.2013

Last Revision of MSDS: 02.07.2008

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals VOC: Volatile Organic Compounds LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average

Disclaimer

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

www.msds.com.au

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. The POPS Group Pty Ltd as Trustee for The Pool Shops Trust makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Page 6/6